

PATENT APPLICATION TRANSMITTAL LETTER
(Large Entity)

Docket No.
10655.7100

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

Michael Blandina, Robert Berry and Mari Belczynski

For: **Stored Value Transaction System Having an Integrated Database Server**

Enclosed are:


- ☒ Certificate of Mailing with Express Mail Mailing Label No **EL211248598US**
- ☒ **Eleven** sheets of drawings.
- ☐ A certified copy of a _____ application.
- ☒ Declaration ☐ Signed. ☒ Unsigned.
- ☐ Power of Attorney
- ☐ Information Disclosure Statement
- ☐ Preliminary Amendment
- ☐ Other:

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	19	- 20 =	0	x \$18.00	\$0.00
Indep. Claims	2	- 3 =	0	x \$78.00	\$0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$760.00
TOTAL FILING FEE					\$760.00

- ☒ A check in the amount of **\$760.00** to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. _____ as described below. A duplicate copy of this sheet is enclosed.
 - ☐ Charge the amount of _____ as filing fee.
 - ☒ Credit any overpayment
 - ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance pursuant to 37 C.F.R. 1.311(b).

Dated: **February 1, 1999**


Signature

cc:

IN THE UNITED STATES PATENT AND
TRADEMARK OFFICE

PATENT

-- Patent Application --

Applicant(s):	Blandina et al.	Docket No.:	10655.7100
Serial No.:	Not Assigned	Group Art Unit:	2772
Filed:	February 1, 1999	Examiner:	Not Assigned
TITLE:	STORED VALUE TRANSACTION SYSTEM INCLUDING AN INTEGRATED DATABASE SERVER		

Letter to Examiner

Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Assistant Commissioner:

The attached application claims priority of Application Serial Number 09/105,406, filed June 26, 1998 and naming the same inventors specified herein. Applicant received a Notice to File Missing Parts in the earlier application that was mailed on July 30, 1998. Applicant has extended the period for response in that application by four months such that that application and the present application are co-pending.

The present disclosure is identical to that of the earlier-filed application, with only the following changes:

In the Specification:

On page 4, line 6, after "various" insert --stored value product--.

On page 4, line 8, change "shared" to --stored--.

On page 5, line 16, change "an object" to --a functionality--.

On page 6, line 10, change "applications" to --products--.

On page 7, delete lines 8-16.

On page 8, line 7, change "is" to --supports--.

On page 8, line 7, change "sub-entities" to --customers--.

On page 8, line 12, change "clients 138" to --franchisers 142--.

On page 8, line 24, change "entity clients 138" to --entities--.

On page 11, line 10, change "108 and 112" to --128 and 136--.

On page 12, line 20, delete "shared" and substitute therefor --stored--.

On page 12, line 24, delete "does" and substitute therefor --may--.

On page 13, line 24, delete "In a preferred embodiment, balancing system 118
additionally".

On page 14, delete lines 1-2.

On page 14, line 4, change "clients 138" to --customers using stored value products--.

On page 15, line 20, change "shared" to --stored--.

On page 16, line 13, change "shared" to --stored--.

On page 16, line 16, delete "graphical".

On page 22, line 6, change "for example" to --such as--.

On page 22, line 23, change "transaction" to --transactions--.

IN THE CLAIMS

claim 1, line 5, delete "is capable of".

Claim 1, line 6, change "associating" to --associates--.

Claim 1, line 9, delete "being capable of".

Claim 10, line 5, delete "being".


Claim 10, line 6, delete "capable of".

Claim 10, line 8, delete "being capable of".

REMARKS

No new matter is added by the above changes. Applicant's attorney would welcome a phone call at the telephone number listed below to discuss the patent application if it would help advance prosecution of this case.

Respectfully submitted,

By: 

Brett A. Carlson
Reg. No. 39,928

Dated: February 1, 1999

SNELL & WILMER_{LLP}
One Arizona Center
400 East Van Buren
Phoenix, Arizona 85004-0001
(602) 382-6000

STORED VALUE TRANSACTION SYSTEM INCLUDING AN INTEGRATED DATABASE SERVER

Inventors: Michael Blandina, Robert Berry and Mari Belczynski

5 **THIS APPLICATION CLAIMS PRIORITY UNDER 35 U.S.C. § 120 OF
APPLICATION SERIAL NUMBER 09/105,406 FILED ON JUNE 26, 1998.**

FIELD OF THE INVENTION

The present invention relates generally to financial transaction systems,
and more particularly, to a computer server and architecture for managing
10 financial transactions involving stored value products such as smartcards.

BACKGROUND OF THE INVENTION

Financial systems using stored value products are well-known in the art.
An example of a stored value product is a pre-paid telephone card, which is
typically a plastic or paper card with a unique identification code. The code may
15 be printed on the front of the card, or it may be stored electronically on a
magnetic stripe that is attached to the card. To access the value on the card,
consumers may, for example, dial a pre-determined phone number and input the
unique code, thereby identifying the card and allowing the consumer to access a
service (such as long distance telephone service). Besides telephone services,
20 magnetic stripe cards have been used to pre-pay for, among other things,
gasoline or department store merchandise. In these industries, special card
reading machines such as those found in many retail establishments (e.g. point

of sale (POS) terminals) are typically configured to read the magnetic stripes incorporated onto the card.

A relatively new stored value technology is the smartcard which typically replaces the magnetic stripe with a microprocessor. Other stored value

5 products include, for example, ATM cards, at-home banking and many Internet commerce products.

Stored value products have been suggested as a replacement for cash in many transactions because such products have been shown to be secure and convenient without compromising the privacy of the user. Consumers frequently
10 purchase stored value cards for pre-determined amounts, or, alternatively, the card may be configured to hold an electronic representation of value that the consumer has purchased.

However, unlike cash transactions, stored value transactions typically utilize an administrator to facilitate card creation, card distribution, transaction
15 management, and/or the like. Administering institutions frequently support multiple stored value products through computer systems that are configured to track information such as card balances, consumer mailing addresses, financial transactions and/or the like. The interfaces and components associated with each stored value product (smartcard, phone card, ATM card, etc) often require
20 that each product be administered by a dedicated computer system.

Accordingly, when administering institutions support multiple stored value products, they often support multiple computer systems. As shown in Figures 1A

and 1B, these computer systems are frequently disjoint systems configured to support only one particular stored value product. These disjoint systems are usually inefficient because they often incorporate substantial duplication in data and administrative overhead. For example, functions that are commonly

5 implemented on each administration system include, among others: adding new cards, enrolling customers in new accounts, issuing personal identification numbers (PINs), adding value to smartcards and other accounts, handling transactions (merchant, ATM, telephone, etc.), and generating reports (such as billing statements and letters to consumers). An example of such a prior art pre-

10 paid card system is disclosed in U.S. Patent No. 5,577,109 issued on November 19, 1996 to Stimson et al., which is incorporated herein by reference. Similarly, a system for supporting multiple functionality on a single card is disclosed in U.S. Patent No. 5,574,269 issued on November 12, 1996 to Mori et al., which is incorporated herein by reference.

15 Recently, as shown in Figure 1B, some disjoint administrative systems have become somewhat more integrated through the sharing of limited functionality such as card authorization and transaction processing. Although this arrangement is improved over that of Figure 1A in that it is somewhat less redundant, the Figure 1B arrangement still includes substantial duplication of

20 information and administration because each program incorporates data records and general parameters such as currency type, language used, etc. Disjoint systems exhibit a further disadvantage in that each administration system is

typically individually constructed, thus requiring excessive time, labor and expense to create, maintain and operate.

Accordingly, there exists a need for a card management system that will simultaneously support various stored value products and their associated functions. Such a system is needed to reduce implementation times, to improve data processing efficiency and to reduce administrative overhead for each system.

SUMMARY OF THE INVENTION

An integrated database and information server are provided that efficiently share information and tasks between various stored value programs. A server is configured to provide reusable objects and data structures that are common to multiple stored value programs. A database at the server allows data to be shared between various shared value product programs so that each consumer associates with only one database record even though that consumer may use multiple stored value products. An exemplary common record for a consumer includes information relating to mailing addresses, preferred language, and the like. By integrating modules and avoiding duplicate records, the record communicates with all stored value programs, so the information does not need to be repeatedly entered into the database. Moreover, new stored value programs are quickly and easily created through selection and arrangement of various reusable, shared objects stored in the database.

BRIEF DESCRIPTION OF THE DRAWING FIGURES

The above and other objects, features and advantages of the present invention are hereinafter described in the following detailed description of illustrative embodiments to be read in conjunction with the accompanying
5 drawing figures, wherein like reference numerals are used to identify the same or similar parts in the similar views, and:

Figure 1A is an exemplary entity relationship diagram of prior art administration servers for stored value products;

Figure 1B is an exemplary entity relationship diagram of prior art
10 administration servers for stored value products with limited functionality sharing;

Figure 2A is an entity relationship diagram of a first exemplary embodiment of the present invention.

Figure 2B is an entity relationship diagram of a second exemplary embodiment of the present invention.

Figure 3 is an entity relationship diagram showing exemplary data flows for
15 creating and initializing a new stored value account.

Figure 4 is an entity relationship diagram showing exemplary data flows for transaction processing.

Figure 5 is an entity relationship diagram showing exemplary data flows for
20 report generation.

Figure 6 is an entity relationship diagram of an exemplary embodiment of a database server based transaction system.

Figure 7 is a functionality pyramid showing an exemplary arrangement for a database server.

Figure 8 is an entity relationship diagram showing data flows for an exemplary implementation of the database authorization.

5 Figure 9 is an entity relationship diagram showing an exemplary relationship between various objects in the database.

DETAILED DESCRIPTION OF PREFERRED EXEMPLARY EMBODIMENTS

Referring to Figure 2A, a preferred embodiment of the invention suitably includes a system **20** which includes a database server **116** that suitably supports a number of stored value products such as, for example, various brands of smartcards, magnetic stripe cards, ATM cards, Internet transaction accounts, or other stored value products. Database server **116** generally provides centralized management of the various products, and preferably includes a database (such as a relational or object oriented database) that centralizes data and procedures to be shared across the various stored value products.

As shown in Figure 2A, client system **138** is any device or entity that is suitably configured to include particular functionalities and to interface with a common server. Client systems **138** preferably include only the functionality that is unique to the particular client system **138**, such as, for example, sales and pricing information and interface handling. In other words, most common functionality is located and shared at database server **116** such as, for example, card/account creation, addition of funds, account information, report information and/or the like (the details of the functionality are described below with respect to Figure 8). In a particularly preferred embodiment, client system **138** represents a particular brand of a smart card. Client systems **138** suitably transmit data to database server **116** corresponding to the creation of new stored value cards/accounts and to the addition of funds in the stored value account. In

alternative embodiments of the invention, client systems **138** suitably receive data such as account information and report information from database server **116**. Alternatively, as can be seen from Figure 2B, database server **116** interacts with client systems **138** through intermediating modules such as report generator **136** and card production system **128**. In other embodiments, client **138** resides on database server **116**, operating as a separate process. In still other embodiments, clients **138** are eliminated entirely and consumers and business entities interact directly with database server **116**.

Server **116** preferably supports two modes of interacting with clients **138**.

10 The first mode of system **20** (shown by clients **138A**, **138B** and **138C** in Figure 2A) is typically referred to as a "centralized back end" or "centralized back office" because the client **138** merely acts as a "front end" (i.e. interface) for database server **116** which primarily handles data management functions. In embodiments wherein client **138** is a business entity, representatives of the client
15 business entity provide information to database server **116** electronically, through online CSR input, or other means.

The second mode of system **20** (commonly called the "decentralized back end" or "decentralized back office") suitably incorporates a franchise server **142** between client systems **138D-E** and database server **116**. Franchise server **142**
20 suitably interfaces with stored value products from several different organizations while retaining centralized data management in database server **116**. In a particularly preferred embodiment, franchise server **142** supports a business

entity having several customers corresponding to clients **138**. As can be seen from Figure 2A, a single database server **116** is preferably configured to simultaneously supporting multiple centralized and decentralized back office client systems **138**. Alternatively, multiple database servers **116** are configured to interface with any combination of centralized or decentralized franchisers 142.

The various servers and clients discussed above are suitably connected through any electronic communication media including, for example, telephone links, leased lines, frame relay or asynchronous transfer mode connections, local area networks, or wide area networks. Alternatively, the client systems and servers are suitably interconnected through any combination of two or more data communications media. Although the communications links between client systems and server are preferably available at all times, some embodiments of the invention use polling or batch processing schemes whereby client systems and servers interact only at predetermined time periods. Alternatively, persons representing business entities provide information to database server **116** through any form of communication including telephone, Internet, mail or any other suitable means.

As can be seen in the exemplary embodiment shown in Figure 3, in use, a client **138** preferably notifies database server **116** of a consumer **100** request for a new card. In other embodiments of the invention, client **138** is bypassed and a new card request from a consumer **100** is provided to database server **116** electronically, or through a customer service representative, or through another

means. After processing the new card request as discussed below, database server **116** preferably sends a message to card production system **128** which suitably creates a new card by known card creation methods and the new card is forwarded to consumer **100**. Card production system **128** also suitably notifies
5 the relevant client **138** (if applicable) that a card has been created.

After the card is created and sent to consumer **100**, in preferred embodiments of the invention, consumer **100** activates the card prior to use. Activation is preferably accomplished through an activation server **132** that receives information about new cards from database server **116**, preferably
10 either in real time as cards are created, or alternatively, activation server **132** receives information in batches at predetermined periods of time. Various activation servers are known in the prior art and activation server **132** may be implemented internal or external to the present invention. To activate the card, consumer **100** suitably contacts activation server **132** via telephone, Internet or
15 another connection to verify the consumer's identity. Consumer is verified through any suitable verification method, including recitation of a number printed on the card (or mailed with the card) or recitation of some identifying information about consumer **100** such as the consumer's social security number or parent's name. If the identity of consumer **100** is properly verified, then activation server
20 **132** suitably notifies a transaction authorization system **108** that the card is approved for use. Various transaction authorization systems are known in the

prior art and transaction authorization system **108** may be implemented internal or external to the present invention.

If the card is rejected, consumer **100** is preferably connected by telephone, Internet or other means to a customer service representative (CSR) **134** who
5 verifies (preferably through online access to either client **138** or database server **116**) the consumer's ability to use the stored value card or account. If the account is rejected by CSR **134**, then the card or account will remain blocked and authorization system **108** rejects any use of the card or account. If the CSR is able to verify consumer **100** and the card/account, then CSR **100** preferably
10 sends a "remove block" or comparable message to authorization system **108** so that consumer **100** may properly use the verified and activated account.

If consumer **100** wishes to add value to the previously created card/account, the consumer generally provides the added funds to a client **138** (via any communication means such as telephone, Internet, POS terminal, ATM
15 machine, or the like) which in turn suitably passes the information to database server **116**, causing database server **116** to update the consumer's account. In alternative embodiments, consumer **100** provides value directly to database server **116** in the form of a check or credit card number that may be electronically entered, or manually entered by a CSR. Alternatively, consumer
20 **100** adds value to a card/account via, for example, a point of sale terminal, ATM machine, Internet connection or telephone connection. Funds are preferably

recorded in database server **116** through a real-time or batch processing scheme.

Figure 2A shows an exemplary direct bi-directional flow of information between client **138** and database server **116**. In contrast, the exemplary embodiments shown in Figures 2B and 3 show database server **116** receiving information directly from clients **138A-C** while providing data to clients **138A-C** through intermediating systems **128** and **136**. For example, database server **116** provides information to client **138** preferably by sending a "generate report" or similar message with all necessary parameters of the data to report generator **136** as shown in Figure 3. Alternatively, database server **116** provides the report directly to client **138** through a telephone, Internet, or other connection.

Transaction processing is preferably managed through interaction between database server **116**, authorization system **108**, and a transaction capture and routing server **112**. As can be seen from Figure 4, database server **116** suitably communicates card/account status information to authorization system **108**. Status information generally includes account balance updates, status changes or the like for the various card accounts. For example, new cards are preferably assigned a "hold" status in authorization system **108** until consumer **100** initializes and validates the card as described above, at which time the authorization system preferably changes the status from "hold" to "pass" (or similar terms). A "hold" status is also preferably assigned if an account balance decreases below a minimum amount, or if a card is lost or stolen or the like.

Accounts/cards that are assigned a "hold" status are preferably rejected by authorization system **108** in any subsequent requests for transaction approval.

Point of sale terminal **104** is any device that is capable of identifying and gathering data from any stored value product. For example, point of sale

5 terminal **104** could be implemented as an actual terminal in a store, an Internet server, a telephone system, a card reader in a vending machine, an automatic teller machine, or any other device that is capable of accepting stored value information in financial transactions. Point of sale terminal **104** suitably

10 communicates with authorization system **108** to approve or reject transactions based upon information available to the authorization system **108** from database server **116**. Alternatively, authorization system 108 supplements information from database server **116** with information obtained from other external sources (not shown) such as external authorization systems, credit reporting bureaus, etc. Authorization preferably takes place in real time, but in some embodiments
15 the authorization is accomplished using a polling or batch processing scheme.

In a preferred embodiment, when a consumer **100** presents a stored value card or enters an account at a point of sale terminal **104**, the terminal sends an authorization request for the transaction to authorization system **108**.

Additionally, for some transactions (such as those involving very small amounts
20 of money) point of sale system **108** may not transmit an authorization request at all. Although authorization may take place over any communications medium,

authorization preferably occurs over a data communications link such as a telephone link, a leased line, the Internet, a wide area network, or the like.

If the transaction is authorized, the transaction is preferably completed at point of sale terminal **104**. Point of sale terminal **104** generally requests

5 information such as the transaction amount and the identity of the stored value product used to pay for the transaction and this information is then suitably transmitted to transaction capture module **112** for settlement. To facilitate batch processing of settlement requests, merchants generally store information for multiple transactions. Alternatively, settlement requests are suitably transmitted
10 in real time or are suitably polled by transaction capture module **112**.

With continued reference to Figure 4, capture module **112** suitably captures financial transaction data from POS terminal **104** and routes this information to database server **116**. During a purchase transaction involving a stored value product, funds are suitably transferred from an account associated with a stored
15 value card into a merchant's account. Records for card and merchant accounts are generally accessible by database server **116**, and are preferably maintained within database **142** (not shown in Figure 4). A balancing system **118** is preferably located between database server **116** and transaction processing module **112** to verify transaction data. Balancing system **118** is any computer
20 system that provides a check based upon data received from database server **116** and transaction processing module **112**.

As best shown in Figure 5, a single report generator **136** preferably generates reports (1) for customers using stored value products, as described above; (2) for merchants **140** that accept stored value products as compensation for goods or services; or (3) for consumers **100** that receive, for example, periodic statements of their accounts and transactions. Alternatively, multiple report generators **136** create various reports. As another alternative, database server **116** internally generates some or all reports without the use of an external report generator **136**. In some embodiments of the invention, reports are generated in real-time (i.e. as requested by the account manager, the consumer, the database server **116**, or any another entity). Alternatively, reports are processed in varying embodiments in batches, at predetermined times, when polled by the report generator, or by any other timing arrangement. Report generator **136** preferably retrieves relevant data from a database associated with database server **116**. In other embodiments, database server **116** provides necessary data to report generator **136** as part of a report generation request. Alternatively, database server **116** suitably sends a pointer (such as a memory address accessible via a shared bus, or a uniform resource locator (URL), or any other pointer) to information that is stored. After obtaining data for the report requested, report generator **136** formats the data and provides the data to the proper client system **138**. Various report generating systems are known in the prior art, and any report formatting system may be used in accord with the present invention.

Figure 6 shows an exemplary embodiment of a combined system for adding cards, handling transactions and processing reports. As can be readily ascertained from Figure 6, a preferred embodiment of a stored value transaction system includes a database server **116** supporting multiple stored value products, each product preferably being associated with a particular client **138**. Database server **116** preferably receives input from client **138** and from a financial capture/transaction routing module **112**, as well as optional online input from consumers or customer service representatives **134**. Stored value cards and accounts are preferably registered with an authorization server **108** that is configured to approve or deny individual transactions at various point of sale terminals such as terminal **104** in the drawing figures. Preferably, database server **116** communicates with a report generating system **136** that is configured to assemble data into reports for client systems **138**, merchants **140** and/or consumers **100**, thereby formatting and simplifying data output from database server **116**.

As stated above, database server **116** includes common data and operations for the various stored value products. Database server **116** preferably retains at least core information **192** and local information **190**, as shown in Figure 7. Core information **192** generally includes all functions, data, software and infrastructure that are common to all stored data products, including database management, interface formatting, transaction management and various product features. Local information **190** is generally non-standard

information that is specific to a particular product, country or consumer that provides no shared value for other applications. Local information **190** includes, for example, language details, local currency, taxes, customs, address formats, and local interface data. Separating local information **190** from core information **192** allows flexibility to implement coding "shortcuts" that may provide the most effective solution to certain individual tasks. Shortcuts are possible because some local information **190** is not applicable to core information **192**. Moreover, local information **190** is located at the bottom of the database organizational pyramid shown in Figure 7, indicating that local data does not substantially update or modify core information **192**. Core information **192**, however, frequently modifies local information **190**. Thus, separating high value business rules and objects (i.e. core information **192**) from low-level technical infrastructure (i.e. local information **190**) promotes implementation independence, and hence greatly facilitates the sharing of data and resources between disjoint stored value products.

Database server **116** generally retains information substantially within a database **142** that is preferably a relational or object oriented database. In a particularly preferred embodiment, database server **116** is an AS/400 computer running DB/2 database server software available from the IBM Corporation of Armonk, New York. In other exemplary embodiments, database **142** is implemented using SQL Server (available from the Microsoft Corporation of Redmond, Washington), ORACLE Database Server (available from the Oracle

Corporation of Redwood Shores, California) or ADAPTIVE Server (available from the Sybase Corporation of Emeryville, California) running on any form of computer hardware.

In a preferred embodiment, database **142** is separated into various logical subsystems generally identifying particular classes of objects. Classes of objects generally include, *inter alia*, functions and attributes. "Functions" correspond to operations performed by objects of the particular class.

"Attributes" correspond to characteristics that objects of the class exhibit. For example, a "smartcard" class generally contains functions for creating new cards and adding value to existing cards, as well as attributes that identify cardholders and accounts. Subsystem classes as shown in Figure 7, then, generally contain objects that perform related functions and/or retain related information.

Database **142** preferably contains a "key" field that partitions the database according to a high-level class of objects. An example of a "key" field is the "business unit" class **188** shown in Figure 7. In the exemplary embodiment shown in Figure 7, the "business unit" class **188** organizes the database into partitions corresponding to, for example, a company organizational structure. Alternate embodiments of the invention organize database **142** in radically different fashions by using differing key fields. For example, the key could be used to logically separate database **142** according to geographic region (e.g. "North America", "Europe" and "Asia"), or according to product classes (e.g. "Smartcard", "ATM card", "Internet account" and the like), or according to any

other suitable differentiator. Key object class **188** substantially defines many of the default values for various dependent classes because objects depending from key object class generally inherit substantially all of the attributes and functions defined for the parent class. In an embodiment that uses "business unit" as a key class **188**, for example, all database objects that reside in the same business unit generally share common default currencies, languages, product details, address masks and the like.

Regardless of the particular key field **188** selected, in preferred embodiments the key field **188** logically separates objects maintained on database **142**. Objects with differing "key" values **188** are preferably separated by hardware or software "firewalls" that partition database **142** based upon the key. A firewall is any mechanism that prevents access across a logical boundary. Although the firewalls are preferably implemented as software access controls, alternate embodiments include user ID/password schemes or hardware controls such as router-implemented access restrictions. Alternatively, multiple firewall techniques such as physical access controls and software controls are combined. Firewalls generally preserve business unit autonomy and data integrity by isolating data according to, for example, the key field.

In a preferred embodiment, secondary classes **186** depending from key class **188** are created to substantially define individual stored value programs. Each of these secondary classes **186** generally depends from the key class **188**. Alternatively, intermediate classes (corresponding to geographic region,

business sub-units, or any other suitable form of differentiator) exist between the highest level key class **188** and the "products" class **186**. In the exemplary embodiment shown in Figure 7, secondary object class **186** differentiates various products belonging to the same key class **188**. Objects belonging to the secondary "product" class **186** inherit attributes and functions from the applicable parent "business unit" class **188**.

The exemplary embodiment shown in Figure 8 includes a "business unit" key **188** that separates database **142** into Business Unit One (BU1) **146** and Business Unit Two (BU2) **148**. Objects BU1 **146** and BU2 **148** in Figure 8 are instances of the key "business unit" class **188**, and elements **150**, **152**, **154**, **156**, and **158** are instances of secondary "product" class **186**. In the example shown in Figure 8, objects **150**, **152**, and **154** depend from object BU1 **146**, and objects **156** and **158** depend from object BU2 **148**. Each of the product objects **150**, **152**, **154**, **156**, and **158** represents a separate stored value product such as a particular smartcard program, ATM card program, or the like. For example, both product object **150** and product object **156** could define smartcard products, even though these two objects depend from different business units. Although the two "smartcard" classes are distinct from each other and each preferably contains independent local data, functions and attributes, the two object classes preferably share functions and attributes as described below.

With continued reference to Figure 8, database **142** preferably includes an object repository **144** that generally functions as a library of objects. Objects

retained within repository **144** suitably perform various functions or retain particular formats of data, as described below. These objects are suitably utilized by objects of key class **188** and secondary class **186**, as well as any intermediating classes (not shown). Objects contained in repository **144**

5 generally provide core functionality required by the various product objects **186**. Because each product object **186** has access to the entire repository **144** of core information, objects stored in repository **144** are effectively shared and re-used by the various key objects **188** and secondary objects **186**, thus resulting in substantially reduced programming effort and implementation time. Moreover,
10 many objects contained within repository **144** suitably utilize other objects in the repository.

Different embodiments organize the various classes depending from the key class **188** in a variety of ways. Although repository **144** is shown in Figure 8 as distinct from objects belonging to key class **188** and secondary class **186**, this
15 distinction is a logical distinction made for purposes of explanation only. One skilled in the art would understand that any organization of database **142** would fall within the scope of the present invention. For example, database **142** could be organized hierarchically, sequentially or in any another suitable manner. Objects in database **142** are preferably organized in a manner that provides
20 optimum performance while efficiently using hardware resources such as storage space and memory on database server **116**.

Repository **144** generally includes various groupings of objects (called "subsystems") that have similar attributes or that perform similar functions. Although particular subsystems are described herein and in the accompanying drawings, one skilled in the art would appreciate that various object groupings could be formulated that are within the scope of the invention. For example, any of the groupings presented herein could be eliminated, or additional groupings could be added. Moreover, the various objects could be arranged in any of a variety of subsystems. The various subsystems of an exemplary preferred embodiment of repository **144** are discussed below.

With continued reference to Figure 8, the various subsystems within repository **144** will now be described. Funding subsystem **158** within repository **144** generally includes objects that add value to stored value cards. Funding features are generally selected according to relevant product classes so that funds from many sources may be applied to many different stored value products without requiring individualized programming for each product. For example, an "ATM account transfer" object defines a process for transferring money from a consumer's checking account to a stored value card in response to the consumer's input at an ATM. Once defined, this object is preferably used by multiple product objects such that the same software code facilitates ATM transfers to smartcards, phone cards, and other stored value products. The funding subsystem preferably includes such features as funding delays, input of

batch funds, applying funding fees, applying funds at a card or an account level, or handling suspended/held funds.

Customer records are preferably maintained in a customer data subsystem **172** that generally implements a single database record for each customer even though the customer may use multiple stored value products. Card data, account data, client data customer data and the like all generally reside within client demographics subsystem **172**, which frequently communicates with objects from the products, funding, transaction processing and address subsystems described herein. Additionally, many user interface elements such as screens and access control are generally contained within the client demographics subsystem.

Objects associated with merchant data subsystem **168** generally enable specific merchant processing options. Other objects preferably store contract information relative to specific merchant product offerings, such as special offers or joint marketing efforts such as rebates, loyalty awards, etc. Merchant data subsystem also preferably includes accounts payable objects that enable merchants to capture stored value transactions for settlement.

Addresses (including, for example, customer billing addresses, merchant addresses and the like) are preferably maintained in address subsystem **160**.

Address subsystem **160** generally houses address information and provides an interface with all other subsystems needing address information, such as the client and merchant data subsystems **172** and **168**, respectively. Address

subsystem **160** suitably provides a single point for maintaining substantially all of the address information stored in database **142**, and preferably supports multiple addresses for each person (e.g. home, business and Internet addresses, among others). Other objects in address subsystem **160** preferably support temporary
5 addresses, optionally with an associated "effective date" such that forwarding addresses, traveling addresses, and the like are supported.

Transaction processing subsystem **170** generally includes objects for storing and managing financial and non-financial transactions. Preferably, many objects associated with transaction processing subsystem **170** contain
10 mechanisms to provide substantially real time access to financial data by, for example, customer service representative **134** as described above for online transaction inquiries. Preferably, transaction processing subsystem **170** is also accessible by at least customers and merchants. Transactions are generally formatted by type (e.g. airline, car rental, retail purchase, and the like) such that
15 transaction records are easily searchable.

Preferably, repository **144** includes a spend management subsystem **176** that includes objects that implement various product-specific spend management rules. For example, spend management rules may allow certain cards to only be used at specified merchants within a particular geographic region, or within a
20 specific time period. Alternatively, spend management subsystem **176** may also provide available balance information to consumers or to external authorization system **108**. Preferably, spend management subsystem includes objects that

are configured to track spending patterns of cardholders/consumers to assist in determining product effectiveness.

Repository **144** preferably includes an input/output (I/O) management subsystem **174** that includes objects for funneling interface data in and out of database system **116**. Preferably, I/O management subsystem **174** includes objects that track, manage and log data sent and received by database system **116**. In a preferred embodiment, I/O management subsystem **174** contains mechanisms for real-time access to database information that are utilized by, for example, CSRs and customers needing access to data retained transaction processing subsystem **170**.

Financial control subsystem **164** generally includes objects that are configured to substantially protect the financial integrity of database system **116**. Generally, financial control system **164** receives data from external financial capture system **112**, as well as funding subsystem **158** to maintain accurate account balance information. Financial control system **164** optionally includes objects that implement an interface to disputes and adjustments subsystems (not shown).

Data sharing between various objects and classes is preferably facilitated by a structures subsystem **166** that suitably combines groups of cards, accounts or merchants into common classes. The structures subsystem **166** establishes and maintains hierarchial relationships established by customers, corporations, governments and the like by defining data structures corresponding to these

relationships. These data structures are suitably utilized to group members of a particular hierarchy together across various stored value products. In a preferred embodiment, structures subsystem **166** suitably allows viewing and reporting of such classes according to predefined hierarchies. Defining various relationships

5 into structures presents several advantages over treating entities within the hierarchy individually. First, the data structures facilitate easy movement, copying and transferring of information from one entity to another because only the data structure (and not each individual member) need be moved. Secondly, structures may be suitably modified as a class, thereby reducing the need for

10 changes to individual objects corresponding to members of the class. For example, if a data structure represents individuals belonging to a hierarchy (such as a corporate reporting structure) and the name of the hierarchy changes, the change need only be entered once (in the data structure object) and not in every object corresponding to every member of the hierarchy.

15 Database server **116** preferably includes a security subsystem **162** that includes objects for managing security controls throughout the database. Users generally are assigned one of various levels of authority based upon the user's need to obtain information. Security restrictions are preferably implemented at many levels in the database **142**, including at the key class **188** level and the

20 product class **186** level. Objects in security subsystem **162** generally implement the firewalls discussed above.

Objects from output subsystem **178** generally provide formatting and control of data output from database **142**. In a preferred embodiment, outputs are administered by three separate optional subsystems corresponding to letters **180**, reports **182** and statements **184**. In other embodiments, a single output subsystem **178** provides all outputs. Letters module **180** preferably contains objects for generating and producing letters such as, for example, automated letters, event driven letters (e.g. negative balance, collections, etc.), CSR initiated letters (service, dispute resolution, etc.) and legal notifications (change in terms, legal disclosures, etc.). The reporting module preferably includes objects for scheduling, creating, and maintaining all database reports. In a preferred embodiment, objects included in report module **182** interfaces with external report generator **136** for actual report creation. Alternatively, objects included in reporting module **182** substantially prepare and format reports, thereby incorporating the functionality of external report generator **136**. Objects associated with the statements module **184** preferably create or format database statements such as periodic bills. Objects included in output generation subsystem **178**, **180**, **182** and **184** preferably produce output via selectable media such as fax, paper, Internet or any other information transmission media.

Referring now to Figure 9, stored value products **186** are created using various objects from repository **114**. Generally speaking, users create new products in accordance with a particular business unit **188** by selecting suitable objects from repository **114** that correspond to those attributes and functionalities

desired in the new product **186**. For example, a user may select, among others, an object for creating a card, various objects for storing value in an account associated with the card (or on the card itself), an object to manage financial transactions, and an object to generate reports for consumers. When these
5 objects are selected, database server suitably assembles a product structure that references the various objects requested. In a preferred embodiment, product structures are tables of pointers to the various objects in repository **114**, but any suitable method of organizing the various objects (such as in a data structure or in a database record) could be used. When the product executes,
10 database server **116** retrieves the particular objects requested. Because this method of constructing products substantially reuses objects of pre-written code, design and implementation times are significantly reduced.

The corresponding structures, materials, acts and equivalents of all elements in the claims below are intended to include any structure, material or
15 acts for performing the functions in combination with other claimed elements as specifically claimed. The scope of the invention should be determined by the appended claims and their legal equivalents, rather than by the examples given above.

We Claim:

1 1. A system for administering a plurality of stored value products, the
2 system comprising:

3 a database server comprising a database, the database including a
4 plurality of objects such that at least one of the objects
5 simultaneously associates with more than one of the plurality of
6 stored value products; and

7 a point-of-sale terminal in communication with the database server, the
8 point-of-sale terminal receiving transaction data from at least one of
9 the stored value products, and of providing the transaction data to
10 the database server.

2. The database server of claim 1 further comprising an authorization
server in communication with the database server and the point-of-sale terminal.

3. The database server of claim 2 wherein the point-of-sale terminal
queries the authorization server for transaction approvals.

4. The system of claim 1 further comprising a plurality of clients, each
client corresponding to one of the plurality of stored value products, and each
client being in communication with the database server.

5. The system of claim 5 wherein the client is implemented on a digital computer.

6. The system of claim 1 wherein the plurality of objects comprises data structure objects.

7. The system of claim 1 wherein the plurality of objects comprises consumer information that is available to each of the plurality of stored value products.

8. The system of claim 1 wherein the plurality of objects comprises merchant information that is available to each of the plurality of stored value products.

9. The system of claim 7 wherein the plurality of objects comprises merchant information that is available to each of the plurality of stored value products.

1 10. A database server for plurality of stored value products, the
2 database server comprising a digital computer and a database, the database
3 comprising:
4 a key field having attributes;

5 a secondary field having a plurality of instances, each instance inheriting
6 the attributes from the key field; and
7 a repository having a plurality of objects, each object providing a
8 functionality and associating with each of the plurality of instances.

11. The database server of claim 10 wherein the secondary field identifies one of the stored value products.

12. The database server of claim 10 wherein the plurality of objects comprises consumer information.

13. The database server of claim 12 wherein the consumer information is accessible to each of the plurality of stored value products.

14 The database server of claim 11 wherein the plurality of objects comprises consumer information.

15 The database server of claim 14 wherein the consumer information is accessible to each of the plurality of stored value products.

16 The database server of claim 10 wherein the plurality of objects comprises merchant information.


17. The database server of claim 14 wherein the merchant information is accessible to each of the plurality of stored value products.

18. The database server of claim 15 wherein the plurality of objects comprises merchant information.

19. The database server of claim 18 wherein the merchant information is accessible to each of the plurality of stored value products.

ABSTRACT

An integrated database and information server are provided that efficiently share information and tasks between various stored value programs. A server is configured to provide reusable objects and data structures that are suitably shared between various stored value products. A database at the server allows data to be shared between various programs so that each consumer associates with only one database record even though that consumer may use multiple shared value products. An exemplary common record for a consumer includes information relating to mailing addresses, preferred language, and the like. By integrating modules and avoiding duplicate records, the record communicates with all stored value programs, so the information does not need to be repeatedly entered into the database. Moreover, new stored value products are quickly and easily created through selection and arrangement of various shared objects preferably maintained within the database.



15




Figure 1B
(prior art)

20




Figure 2A




Figure 2B

25




Figure 3




Figure 4

50




Figure 5




Figure 6




Figure 7




Figure 8

667033 337460

142 →




Figure 9

Please type a plus sign (+) inside this box ☐

PTO/SB/01 (12/97)
Approved for use through 9/30/00 OMB 0651-0032

Patent and Trademark Office U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63) <input type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16(e)))	Attorney Docket Number	10655.7100
	First Named Inventor	Blandina
	COMPLETE IF KNOWN	
	Application Number	/
	Filing Date	February 1, 1999
	Group Art Unit	2772
Examiner Name		

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Stored Value Transaction System Including an Integrated Database Server

the specification of which (Title of the Invention)

☒ is attached hereto

OR

☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed

Prior Foreign Application	Foreign Filing Date	Priority	Certified Copy Attached?
			YES NO
		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below

Application Number(s)	Filing Date (MM/DD/YYYY)	
		<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12/97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

DECLARATION ---- Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
Application Serial No. 09/105,406	06/26/1998	

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transmit all business in the Patent and Trademark Office connected therewith

☐ Customer Number OR
☐ Registered practitioner(s) name/registration number listed below

Place Customer
Number Bar Code
Label here

Name	Registration Number	Name	Registration Number

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner information sheet PTO/SB/02C attached hereto

Direct all correspondence ☐ Customer Number or Bar OR ☒ Correspondence address below

Name	Brett Carlson -- Intellectual Property				
Address	Snell and Wilmer LLP				
Address	One Arizona Center				
City	Phoenix	State	AZ	ZIP	85004
Country	USA	Telephone	602/382-6236		Fax 602/382-6070

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon

Name of Sole or First Inventor: ☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])	Family Name or Surname
Michael	Blandina

Inventor's					Date		
Residence: City	Aurora	State	CO	Country	80016	Citizenship	USA
Post Office Address	7596 S. Telluride Ct.						
Post Office Address							
City		State		ZIP		Country	

☒ Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached

Please type a plus sign (+) inside this box → ☐

PTO/SB/02A (12/97)

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet

Page 2 of 2

Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Robert				Berry			
Inventor's						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Mari				Belczynski			
Inventor's						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	

Burden Hour Statement This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231